

AMENDED

NO. 65699

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office DEC 07 1999
Returned to applicant for correction DEC 30 1999
Corrected application filed FEB 29 2000
Map filed FEB 29 2000

The applicant **City of Winnemucca**, hereby makes application for permission to change the point of diversion and place of use of water heretofore appropriated under Permit 16578 Certificate 5153

1. The source of water is **underground**
2. The amount of water to be changed **1.33 cfs**
3. The water to be used for **municipal**
4. The water heretofore permitted for **municipal**
5. The water is to be diverted at the following point **within the NW¼ NE¼ of Section 29, T.36N., R.38E., MDB&M or at a point from which the N¼ corner of said Section 29 bears N 45° W 425.0 feet.**
6. The existing permitted point of diversion is located within **the SE¼ SE¼ of Section 19, T.36N., R.38E., MDB&M or at a point from which the SE corner of said Section 19 bears S 51° 14' E 934 feet.**
7. Proposed place of use **SW¼ of Section 15; S½ of Section 16; S½ of Section 17; S½ of Section 18; W½ of Section 22; W½ of Section 27; W½ of Section 34; and all of Section 19, 20, 21, 28, 29, 30, 31, 32, and 33; all within T.36N., R.38E., MDB&M**
8. Existing place of use **Sections 19 and 20, W½ W½ Section 28; Sections 29 and 30; N½ NW¼ Section 32, T.36N., R.38E., MDB&M**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **drilled well, pump, motor, and pressure pipeline distribution**
12. Estimated cost of works **in excess of \$100,000**
13. Estimated time required to construct works **7 years**
14. Estimated time required to complete the application of water to beneficial use **10 years**
15. Remarks: **This application seeks no additional appropriation of water over and above that which is already allowed on this permit.**

Desert Mountain Surveying as agent
By **John H. Milton III, PLS, SWRS**
s/**John H. Milton III**
146 West Second Street
Winnemucca, NV 89445

Compared my/cmf lb/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 16578, Certificate 5153 is issued subject to the terms and conditions imposed in said Permit 16578, Certificate 5153 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 9966, Certificate 2798; 18742, Certificate 5252; 18743, Certificate 5253; 24652, Certificate 8175; 25530, Certificate 8181; 35834, Certificate 14267; 36155, Certificate 10907; 36156, Certificate 10908; 36157, Certificate 10909; 40307, 61213, 64512 and 65699 shall not exceed 9,406.97 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, but not to exceed 1.33 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before:

September 13, 2006

Proof of completion of work shall be filed on or before:

October 13, 2006

Water must be placed to beneficial use on or before:

September 13, 2010

Proof of the application of water to beneficial use shall be filed on or before:

October 13, 2010

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 2nd day of July, A.D. 2003


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

